



EROSION CONTROL GENERAL NOTES

1. NOTIFY CITY/COUNTY INSPECTORS 24 HOURS BEFORE BEGINNING OF EVERY CONSTRUCTION PHASE.
2. ALL BUFFERS AND TREE SAVES AREAS SHALL BE CLEARLY IDENTIFIED BY FLAGGING AND/OR FENCING PRIOR TO COMMENCEMENT OF ANY LAND DISTURBANCE.
3. THE INSTALLATION OF EROSION AND SEDIMENTATION CONTROL MEASURES AND PRACTICES SHALL OCCUR PRIOR TO LAND DISTURBING ACTIVITIES AND CONSTRUCTION ON THE SITE AND MAINTAINED UNTIL PERMANENT GROUND COVER IS ESTABLISHED.
4. ALL SEDIMENT BARRIERS SHALL BE INSTALLED PRIOR TO ANY GRADING.
5. SEDIMENT BARRIER DEVICES SHALL BE INSPECTED AND REPAIRED OF DAMAGE DAILY. ANY ACCUMULATED SEDIMENT SHALL BE REMOVED AND SPREAD ON SITE.
6. ALL DISTURBED AREAS SHALL BE GRASSSED AS SOON AS CONSTRUCTION PHASE PERMITS.
7. EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE MAINTAINED AT ALL TIMES. ADDITIONAL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE INSTALLED IF DEEMED NECESSARY BY ON-SITE INSPECTION OR AS REQUIRED BY COUNTY.
8. MAINTENANCE OF ALL SOIL EROSION AND SEDIMENTATION CONTROL MEASURES AND PRACTICES WHENEVER TEMPORARY OR PERMANENT, SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
9. ANY DISCREPANCY BETWEEN THIS SHEET AND OTHERS IN THIS SET SHALL BE REFERRED TO THE ARCHITECT BY THE CONTRACTOR FOR CLARIFICATION BEFORE PROCEEDING WITH THE WORK.
10. SEDIMENT STORAGE LEVEL MARKERS MUST BE INSTALLED IN SEDIMENT STORAGE STRUCTURES INDICATING THE 1/3 FULL VOLUME.
11. MAXIMUM CUT OR FILL SLOPE IS (3/1) 2' HORIZONTAL TO 1' VERTICAL.
12. CONTRACTOR SHALL PROVIDE TEMPORARY DOWN DRAINS ON FILL SLOPES TO PREVENT EROSION PRIOR TO STABILIZATION.
13. CONTRACTOR SHALL REMOVE ACCUMULATED SEDIMENT FROM DETENTION BASIN AT END OF CONSTRUCTION WHEN ALL DISTURBED AREAS HAVE BEEN FULLY STABILIZED.
14. THE ESCAPE OF SEDIMENT FROM THE SITE SHALL BE PREVENTED BY THE INSTALLATION OF EROSION AND SEDIMENT CONTROL MEASURES AND PRACTICES PRIOR TO LAND DISTURBING ACTIVITIES.
15. EROSION CONTROL MEASURES WILL BE MAINTAINED AT ALL TIMES. IF FULL IMPLEMENTATION OF THE APPROVED PLAN DOES NOT PROVIDE FOR EFFECTIVE EROSION CONTROL, ADDITIONAL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE IMPLEMENTED TO CONTROL OR TREAT THE SEDIMENT SOURCE.
16. ANY DISTURBED AREA LEFT EXPOSED FOR A PERIOD GREATER THAN 14 DAYS SHALL BE STABILIZED WITH MULCH OR TEMPORARY SEEDING.

PERMANENT STABILIZATION NOTE

COORDINATE FINAL PHASE EROSION CONTROL PLAN WITH LANDSCAPE ARCHITECT DRAWINGS. LANDSCAPE ARCHITECT DRAWINGS SHALL GOVERN FOR ANY DISCREPANCIES. OTHERWISE, ALL DISTURBED AREAS SHALL BE STABILIZED WITH Ds4 SOD.

PERMANENT STABILIZATION LEGEND

Ds1	MULCH: 3" OF DOUBLE GROUND HARDWOOD UNLESS OTHERWISE SPECIFIED (SEE LANDSCAPING PLANS)	
Ds4	SOD - BEREMIDA TRUAY 419 REFER TO SPECIFICATION 330200 FOR MORE INFORMATION (SEE LANDSCAPING PLANS)	

CONTRACTOR SHALL STABILIZE ALL DISTURBED AREAS AS REQUIRED BY CONTRACT DOCUMENTS AND LOCAL GOVERNING REGULATIONS

GEORGIA
UNIFORM CODING SYSTEM
FOR SOIL EROSION AND SEDIMENT
CONTROL PRACTICES

GEORGIA SOIL AND WATER
CONSERVATION COMMISSION

STRUCTURAL PRACTICES

CODE	PRACTICE	MAP SYMBOL
Cd	CHECKDAM	
Ch	CHANNEL STABILIZATION	
Co	CONSTRUCTION EXIT	
Cr	CONSTRUCTION ROAD STABILIZATION	
Dc	STREAM DIVERSION CHANNEL	
Di	DIVERSION	
On1	TEMPORARY DOWNDRAIN STRUCTURE	
On2	PERMANENT DOWNDRAIN STRUCTURE	
Fr	FILTER RING	
Ga	GABION	
Gr	GRADE STABILIZATION STRUCTURE	
Lv	LEVEL SPREADER	
Rd	ROCK FILTER DAM	
Re	RETAINING WALL	
Rl	RETRO FITTING	
Sd1	SEDIMENT BARRIER	
Sd2	INLET SEDIMENT TRAP	
Sd3	TEMPORARY SEDIMENT BASIN	
Sd4	TEMPORARY SEDIMENT TRAP	
Sk	FLOATING SURFACE SKIMMER	
Spb	SEEP BERM	
St	TEMPORARY STREAM CROSSING	
St	STORMDRAIN OUTLET PROTECTION	
Su	SURFACE ROUGHENING	
Tc	TURBIDITY CURTAIN	
Tp	TOPSOLING	
Tr	TREE PROTECTION	
Wl	VEGETATED WATERWAY OR STORMWATER CONVEYANCE CHANNEL	

VEGETATIVE PRACTICES

CODE	PRACTICE	MAP SYMBOL
Bf	BUFFER ZONE	
Cs	COASTAL DUNE STABILIZATION (WITH VEGETATION)	
Ds1	DISTURBED AREA STABILIZATION (WITH MULCHING ONLY)	
Ds2	DISTURBED AREA STABILIZATION (WITH TEMP SEEDING)	
Ds3	DISTURBED AREA STABILIZATION (WITH PERM SEEDING)	
Ds4	DISTURBED AREA STABILIZATION (SECOND)	
Du	DUST CONTROL ON RESTORED AREAS	
Fi-Co	FLOCCULANTS AND COAGULANTS	
Sb	STREAMBANK STABILIZATION (USING PERM VEGETATION)	
Ss	SLOPE STABILIZATION	
Tac	TACKPERS AND BINDERS	

GSWCC CHECKLIST LEGEND

GSWCC CHECKLIST ITEM NUMBER

24-HOUR LOCAL CONTACT RESPONSIBLE FOR EROSION, SEDIMENTATION, AND POLLUTION CONTROLS

NAME: EDDIE O'NEAL, CYSA COMPANY: FANNIN COUNTY PARKS & RECREATION PHONE: 706-346-1300

LEVEL: 1A CERTIFICATION #150 EXPIRES: TBD

PRIMARY PERMITTEE

CONTACT NAME: EDDIE O'NEAL CONTACT TITLE: DIRECTOR REPRESENTING: FANNIN COUNTY EMAIL: EON@FANNINCOUNTYGA.GOV PHONE NUMBER: 706-346-1300

DISTURBED AREA

TOTAL SITE AREA: 105.98 AC DISTURBED AREA: 0.39 AC

GRAPHIC SCALE & ORIENTATION

SCALE: 1"=10'-0"

DO NOT BREAK OR DUPLICATE

1. DO NOT DUPLICATE DRAWINGS WITHOUT PERMISSION.

2. READ THE SPECIFICATIONS. THIS SET OF DRAWINGS AND SPECIFICATIONS DEFINE PROJECT SCOPE AND CONTRACT REQUIREMENTS. INDIVIDUAL SHEETS SEPARATED FROM THE SET MAY NOT ADEQUATELY REFLECT ALL INFORMATION NEEDED TO SUITABLY COVER CERTAIN ITEMS. DO NOT SEPARATE THIS SET OF DRAWINGS INTO INDIVIDUAL SHEETS.

CALL BEFORE YOU DIG

GEORGIA811

www.Georgia811.com

GEORGIA LAW MANDATES THAT, BEFORE BEGINNING ANY MECHANIZED DIGGING OR EXCAVATION WORK, YOU MUST CONTACT GEORGIA 811 BY USING EMBQUEST ON: (404)GEORGIA811.COM OR BY CALLING 811 OR 1-800-782-1411 AT LEAST 48 HOURS BUT NO MORE THAN 10 WORKING DAYS IN ADVANCE TO HAVE UTILITY LINES MARKED.

BREED LOVE LAND PLANNING

Site Design Professionals

PRAXIS3

100 Peachtree St NW Suite 1450 Atlanta, GA 30303 404-875-4500 tel www.praxis3.com

Georgia Seal

Copyright (c) 2024 Praxis3, LLC

All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by Praxis3 shall retain all common law, statutory and other copyright rights, including copyright notice.

This drawing may not be reproduced in whole or in part without written permission of Praxis3. It is to be returned upon request. Scales in detail are valid on the original drawing.

Rev	Date	Comments
07-23-25	60% CD SET	
05-22-26	PERMIT & BID SET	

Client: FANNIN COUNTY

370 TOM BOYD ROAD BLUE RIDGE, GEORGIA 30513

Project Number: 24184 Project Name: FANNIN COUNTY RECREATION CENTER PHASE 1

580 WINDING DRIVE BLUE RIDGE, GEORGIA 30513

Key Plan:

Sheet Title: ES&PC - FINAL PHASE

Sheet Number: C420-I

7/2/2025 9:23:50 AM

RELEASED FOR CONSTRUCTION AND PERMIT